

PatoGen encourages all customers to use our registration portal PatoLink. This ensures that you as a customer get the best conditions, that information and thus quality is secured, and that we save the environment and nature.



## REQUISITION FORM: SAMPLES TO PATOGEN

Fields marked with \* are mandatory. Optional fields must be filled if you want the information in the final report. For mandatory analyses all fields must be filled.

### CUSTOMER DETAILS

<b>Company*</b> (formal report recipient)		<b>Invoice company*</b> (if different from company)	
<b>Sampler*</b> (full name, receives report)		<b>Invoice contact*</b> (full name)	
<b>Sampler*</b> (email and mobile)		<b>Invoice reference</b> (ex. PO number)	
<b>Report recipient</b> (full name)		<b>Report recipient</b> (email)	
<b>Project number</b>	NB: If the samples are part of a project with PatoGen, the project number must be filled out. If the project number is missing, the samples will be invoiced as normal.		

### SAMPLING DETAILS

<b>Sampling date*</b>		<b>Site number*</b>	
<b>Species*</b>		<b>Site name</b>	
<b>Fish group</b>		<b>Breed</b>	
<b>Generation</b>		<b>Production</b>	<input type="radio"/> Sea water <input type="radio"/> Fresh water <input type="radio"/> Brood stock
<b>Vaccinated fish?*</b>	<input type="radio"/> Yes <input type="radio"/> No If yes, which vaccine? .....		
<b>Water environment*</b>	<input type="radio"/> Salt water <input type="radio"/> Fresh water <input type="radio"/> Fresh water with salt water addition		

### GENERAL DELIVERY CONDITIONS

See patogen.com for our general terms of delivery, sampling guides, recommended area of use for analysis and more. Haste samples must be agreed upon in advance, and must be given within time limits. You can modify on your order's delivery time until the samples are received and confirmed at our laboratories. The requisition form is changed/updated on a regular basis. The newest and valid version of the requisition form is always available at patogen.com.

Regarding deliveries for the various services in PatoGen, see below the respective pages.

Reservation against use in research, commercial and operational purposes in anonymized form.

### NOTE

### SIGNATURE

#### Date and sampler's signature

Confirmation of read/understood which species and geographical areas the ordered analyses are recommended for. See patogen.no for overview of recommended area of use, under forms and guides.

PatoGen | +47 70 11 69 00 | post@patogen.no | patogen.com | Version 3.3 | Valid from 13.02.25

Received:	Water:	Histology:	PCR:
Tray:	PatoGen return note: Yes No	Biochemistry:	Bacteriology:
			Control:

**DELIVERY PCR**

- Normal** (3 working days)
- Haste 1** (1 working day)
- Haste 2** (2 working days)

Haste 1 must be agreed upon in advance at +47 70 11 69 00 / post@patogen.no.  
 Haste 1 requires delivery of samples before 9am and entails a 100 % additional cost.  
 Haste 2 requires delivery of samples before 11pm and entails a 50 % additional cost.

**OTHER SERVICES**

Storage of samples		Tissue	
--------------------	--	--------	--

**ADDITIONAL INFORMATION**

**PATOSAFE (PCR ANALYSES)**

Check left for required analysis and fill in which tissue you want the analysis to be performed on to the right. Tissue is a mandatory field. If tissue is not filled, optimal tissue will be chosen from recommended tissue in the sampling guide. The list below shows short names for the analyses. We refer to the analysis overview for complete analysis name, in addition to which geographical areas and species the analyses are recommended for. Analysis overview and sampling guides are available at [www.patogen.com](http://www.patogen.com).

Required analysis:	Tissue*:
Aeromonas salmonicida type 1-23	
Aeromonas salmonicida subsp. sal.	
Aeromonas salmonicida type 5	
Aeromonas salmonicida type 6	
AGD - Paramoeba perurans	
Atlantic salmon paramyxovirus <sup>2</sup>	
Ballan wrasse birnavirus <sup>1</sup>	
BKD - Renibacterium salmoninarum <sup>**</sup>	
Ca. Branchiomonas cysticola	
Ca. Piscichlamydia salmonis	
Carnobacterium maltaromaticum <sup>2</sup>	
Flavobacterium psychrophilum <sup>**</sup>	
Ichthyobodo necator	
Ichthyobodo salmonis	
IHN	
ISAV <sup>**</sup>	
ISAV-HPRO <sup>**</sup>	
IPNV <sup>**</sup>	
Lumpfish coronavirus	
Lumpfish totivirus <sup>2</sup>	
Lumpsucker virus <sup>5</sup>	
Moritella viscosa	
Moritella viscosa Classic and Variant <sup>8</sup>	
Mycobacterium <sup>2,6</sup>	
Nodavirus <sup>**</sup>	

Required analysis:	Tissue*:
Nucleospora cyclopteri	
Paranucleospora theridion	
Parvicapsula pseudobranchicola	
Phocoenobacter atlanticus	
Phocoenobacter atl. + sky. O1	
Phocoenobacter skyensis O2	
Piscirickettsia spp. <sup>**</sup>	
Piscirickettsia salmonis	
Piscirickettsia nova	
PMCV	
PRV-1 <sup>**</sup>	
Pseudomonas anguilliseptica	
Salmon poxvirus <sup>4</sup>	
Salmoxcellia vastator	
Saprolegnia spp.	
SAV/PDV <sup>**</sup>	
SAV subtyping	
Tenacibaculum maritimum	
Tenacibaculum spp. <sup>7</sup>	
VHSV <sup>**3</sup>	
Vibrio anguillarum + ordalii	
Yersinia ruckeri	
Yersinia ruckeri CC1	

<sup>\*\*</sup>Accredited analyses <sup>1</sup>Patent NO347379 <sup>2</sup>Analysis under development, validation performed on a limited amount of material <sup>3</sup>Detects genotype I-III  
<sup>4</sup>Patent NO/EP3237607 <sup>5</sup>Patent NO344051 <sup>6</sup>Two analyses are performed to cover multiple species. Detects *Mycobacterium salmoniphilum* and closely related species and *Mycobacterium marinum* and closely related species <sup>7</sup>The analysis does not detect *Tenacibaculum maritimum* <sup>8</sup>Two analyses are performed for subtyping

**VACCINE DIFFERENTIATION**

Vaccine differentiation is done to determine if a positive result is a virus or a vaccine component, and will be performed after the first version is released. Vaccine differentiation will entail increased cost and a new report. We routinely perform differentiation for specific vaccine components:

IPNV - ex. ALPHA JECT micro® 6

Vaccine differentiation required?  Yes  No

KIT NO:

EXPIRATION DATE:



**SAMPLE DETAILS**

H=Healthy, M=Moribund, D=Dead

Pos.	Tube ID PCR	Fish no.	Pen/tub/ cylinder	Clinical signs*			Note
				H	M	D	
A01							
B01							
C01							
D01							
E01							
F01							
G01							
H01							
A02							
B02							
C02							
D02							
E02							
F02							
G02							
H02							
A03							
B03							
C03							
D03							
E03							
F03							
G03							
H03							
A04							
B04							
C04							
D04							
E04							
F04							
G04							
H04							
A05							
B05							
C05							
D05							
E05							
F05							
G05							
H05							
A06							
B06							
C06							
D06							
E06							
F06							
G06							
H06							

KIT NO:

EXPIRATION DATE:



**SAMPLE DETAILS**

H=Healthy, M=Moribund, D=Dead

Pos.	Tube ID PCR	Fish no.	Pen/tub/ cylinder	Clinical signs*			Note
				H	M	D	
A07							
B07							
C07							
D07							
E07							
F07							
G07							
H07							
A08							
B08							
C08							
D08							
E08							
F08							
G08							
H08							
A09							
B09							
C09							
D09							
E09							
F09							
G09							
H09							
A10							
B10							
C10							
D10							
E10							
F10							
G10							
H10							
A11							
B11							
C11							
D11							
E11							
F11							
G11							
H11							
A12							
B12							
C12							
D12							
E12							
F12							
G12							
H12							

**DELIVERY SMOLTTIMER**

- Normal** (3 working days)
- Haste 1** (1 working day)
- Haste 2** (2 working days)

Haste 1 must be agreed upon in advance on +47 70 11 69 00 / post@patogen.no.  
 Haste 1 requires delivery of samples before 9am and entails entails a 100 % additional cost.  
 Haste 2 requires delivery of samples before 11pm and entails a 50 % additional cost.

<b>Sea launch*</b>		<b>Water temperature*</b>	
<b>Salinity</b>		<b>Light</b>	
<b>Note</b>			

**Remember to cut out the entire 2nd gill arch on the left side.**  
**A submission of 30 gill arches is recommended in order to obtain a representative sample set.**

<b>Fish</b>	<b>Fish no.</b>	<b>Pen/tub/cylinder</b>	<b>Weight*</b>	<b>Lenght*</b>	<b>Silver*</b>	<b>Fins*</b>	<b>Parr*</b>
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

**DELIVERY**

- Normal (3 working days)
- Haste 1 (1 working day)
- Haste 2 (2 working days)

**Haste can only be delivered if filtering has been carried out.**

Haste 1 must be agreed upon in advance at +47 70 11 69 00 / post@patogen.no.  
 Haste 1 requires delivery of samples before 9am and entails entails a 100 % additional cost.  
 Haste 2 requires delivery of samples before 11pm and entails a 50 % additional cost.

**ANALYSES**

Check left for required analysis. The list below shows short names for the analyses. We refer to the analysis overview for complete analysis name, in addition to which geographical areas and species the analyses are recommended for. Analysis overview and sampling guides are available at [www.patogen.com](http://www.patogen.com).

Required analysis**:		Required analysis**:		Required analysis**:	
<input type="checkbox"/>	Aeromonas salmonicida type 1-23	<input type="checkbox"/>	Moritella viscosa	<input type="checkbox"/>	VHSV <sup>3</sup>
<input type="checkbox"/>	Aeromonas salmonicida subsp. sal.	<input type="checkbox"/>	Moritella viscosa Classic and Variant <sup>8</sup>	<input type="checkbox"/>	Vibrio anguillarum + ordalii
<input type="checkbox"/>	Aeromonas salmonicida type 5	<input type="checkbox"/>	Mycobacterium <sup>2,6</sup>	<input type="checkbox"/>	Yersinia ruckeri
<input type="checkbox"/>	Aeromonas salmonicida type 6	<input type="checkbox"/>	Nodavirus	<input type="checkbox"/>	Yersinia ruckeri CC1
<input type="checkbox"/>	AGD - Paramoeba perurans	<input type="checkbox"/>	Nucleospora cyclopteri	<input type="checkbox"/>	
<input type="checkbox"/>	Atlantic salmon paramyxovirus <sup>2</sup>	<input type="checkbox"/>	Paranucleospora theridion	<input type="checkbox"/>	
<input type="checkbox"/>	Ballan wrasse birnavirus <sup>1</sup>	<input type="checkbox"/>	Parvicapsula pseudobranchicola	<input type="checkbox"/>	
<input type="checkbox"/>	BKD - Renibacterium salmoninarum	<input type="checkbox"/>	Phocoenobacter skyensis O2	<input type="checkbox"/>	
<input type="checkbox"/>	Ca. Branchiomonas cysticola	<input type="checkbox"/>	Phocoenobacter atlanticus	<input type="checkbox"/>	
<input type="checkbox"/>	Ca. Piscichlamydia salmonis	<input type="checkbox"/>	Phocoenobacter atl. + sky. O1	<input type="checkbox"/>	
<input type="checkbox"/>	Carnobacterium maltaromaticum <sup>2</sup>	<input type="checkbox"/>	Piscirickettsia spp.	<input type="checkbox"/>	
<input type="checkbox"/>	Flavobacterium psychrophilum	<input type="checkbox"/>	Piscirickettsia salmonis	<input type="checkbox"/>	
<input type="checkbox"/>	Francisella	<input type="checkbox"/>	Piscirickettsia nova	<input type="checkbox"/>	
<input type="checkbox"/>	Gyrodactylus salaris	<input type="checkbox"/>	PMCV	<input type="checkbox"/>	
<input type="checkbox"/>	Ichthyobodo necator	<input type="checkbox"/>	PRV-1	<input type="checkbox"/>	
<input type="checkbox"/>	Ichthyobodo salmonis	<input type="checkbox"/>	PRV-3	<input type="checkbox"/>	
<input type="checkbox"/>	IHNV	<input type="checkbox"/>	Pseudomonas anguilliseptica	<input type="checkbox"/>	
<input type="checkbox"/>	IPNV	<input type="checkbox"/>	Salmon poxvirus <sup>4</sup>	<input type="checkbox"/>	
<input type="checkbox"/>	ISAV	<input type="checkbox"/>	Salmoxcellia vastator	<input type="checkbox"/>	
<input type="checkbox"/>	ISAV-HPRO	<input type="checkbox"/>	SAV/PDV	<input type="checkbox"/>	
<input type="checkbox"/>	Lumpfish coronavirus	<input type="checkbox"/>	Saprolegnia spp.	<input type="checkbox"/>	
<input type="checkbox"/>	Lumpfish totivirus <sup>2</sup>	<input type="checkbox"/>	Tenacibaculum maritimum	<input type="checkbox"/>	
<input type="checkbox"/>	Lumpsucker virus <sup>5</sup>	<input type="checkbox"/>	Tenacibaculum spp. <sup>7</sup>	<input type="checkbox"/>	

\*\* Analyses related to WaterScreening are subject to PatoGen's standard quality system and are validated, but not accredited. Water filtration has been validated on a limited amount of material <sup>1</sup>Patent NO347379 <sup>2</sup>Analysis under development, validation performed on a limited amount of material <sup>3</sup>Detects genotype I-III <sup>4</sup>Patent NO/EP3237607 <sup>5</sup>Patent NO344051 <sup>6</sup>Two analyses are performed to cover multiple species. Detects *Mycobacterium salmoniphilum* and closely related species and *Mycobacterium marinum* and closely related species <sup>7</sup>The analysis does not detect *Tenacibaculum maritimum* <sup>8</sup>Two analyses are performed for subtyping

**SAMPLE DETAILS**

	Sampling date	Sampling time	Salinity	Temperature	Taken from	Amount filtered	Note
A							
B							
C							
D							
E							
F							
G							
H							
I							
J							
K							
L							
M							
N							
O							
P							
Q							
R							
S							
T							
U							
V							
W							
X							
Y							
Z							

**ATTENTION! All histological and bacteriological samples must be sent directly to Oban.**

**DELIVERY HISTOLOGY**

Delivery time is normally 5 working days.

**DELIVERY BACTERIOLOGY**

The delivery time for bacteriology will depend on how long the bacterial growth takes.

When using swabs, for quality reasons, the samples must be sent the same day by overnight express.

**HISTOLOGY**

<b>No. of fish*</b>	..... Fry ..... Fresh water ..... Salt water/broodstock ..... Cleanerfish
<b>Tissue*</b>	<input type="radio"/> Heart <input type="radio"/> Kidney <input type="radio"/> Gill <input type="radio"/> Skin <input type="radio"/> Fry <input type="radio"/> Liver <input type="radio"/> Spleen <input type="radio"/> Pylorus region Other: .....
<b>Purpose*</b>	<input type="radio"/> Routine <input type="radio"/> Increased mortality Other:.....
<b>Size*</b>	<input type="radio"/> 0-100 grams <input type="radio"/> 100 grams - 4,5 kg <input type="radio"/> > 4,5 kg
<b>Note</b>	

**BACTERIOLOGY**

<b>No. of fish*</b>		<b>Material*</b>	<input type="radio"/> Bacterial culture primary <input type="radio"/> Bacterial culture secondary
<b>Tissue*</b>	<input type="radio"/> Heart <input type="radio"/> Kidney <input type="radio"/> Gill <input type="radio"/> Skin <input type="radio"/> Fry <input type="radio"/> Liver <input type="radio"/> Spleen <input type="radio"/> Pylorus region Other: .....		
<b>Note</b>			
<b>Reservation against expert assessment</b>	<input type="radio"/> Yes <input type="radio"/> No		
<b>Evaluation of resistance to antimicrobials</b>	<input type="radio"/> Yes <input type="radio"/> No		

**CLINICAL HISTORY**

<b>Increased mortality?*</b>	<input type="radio"/> Yes <input type="radio"/> No	<b>Known diagnoses*</b>		<b>Disease suspicion*</b>	
------------------------------	--	-------------------------	--	---------------------------	--

**DISEASE DESCRIPTION\*** - (clinical signs, cause of disease, autopsy findings...)

**AUTOPSY FINDINGS PER FISH**

**Known diagnoses at the site the past 4 months:**

<input type="checkbox"/>	PD	<input type="checkbox"/>	HSMI	<input type="checkbox"/>	CMS	<input type="checkbox"/>	Gill disease	<input type="checkbox"/>	Wound infection	<input type="checkbox"/>	Other:
--------------------------	----	--------------------------	------	--------------------------	-----	--------------------------	--------------	--------------------------	-----------------	--------------------------	--------

**Detected pathogens at the site the last 4 months, without disease:**

<input type="checkbox"/>	Poxvirus	<input type="checkbox"/>	<i>Tenacibaculum maritimum</i>	<input type="checkbox"/>	IPNV	<input type="checkbox"/>	PRV
<input type="checkbox"/>	<i>Paramoeba perurans</i>	<input type="checkbox"/>	<i>Paranucleospora theridion</i>	<input type="checkbox"/>	SAV	<input type="checkbox"/>	PMCV
<input type="checkbox"/>	<i>Yersinia ruckeri</i>	<input type="checkbox"/>	<i>Candidatus Branchiomonas cysticola</i>	<input type="checkbox"/>		<input type="checkbox"/>	



### DELIVERY LICEADVISOR

- Normal** (3 working days)
- Haste 1** (1 working day)
- Haste 2** (2 working days)

Haste 1 must be agreed upon in advance. Haste 2 agreed in advance will be prioritized.  
Haste 1 requires delivery of samples before 09.00 and entails a 100 % additional cost.  
Haste 2 requires delivery of samples before 12.00 and entails a 50 % additional cost.

**LiceAdvisor is validated for a minimum of 30 salmon lice. Sample submission of 30 salmon lice is recommended to obtain a representative sample set.**

Are there reduced sensitivity to one or more therapeutic agents?  Yes  No

If yes, which?

<input type="checkbox"/>	SALMOSAN®	<input type="checkbox"/>	ALPHA MAX®
<input type="checkbox"/>	BETAMAX®	<input type="checkbox"/>	HYDROGEN PEROXIDE

### Analyses

<input type="checkbox"/>	PYRETHROIDS (ALPHA MAX®/BETAMAX®) <sup>1</sup>	<input type="checkbox"/>	AZAMETIPHOS (SALMOSAN®/AZASURE) <sup>2</sup>	<input type="checkbox"/>	HYDROGEN PEROXIDE <sup>3</sup>
--------------------------	--	--------------------------	--	--------------------------	--------------------------------

<sup>1</sup>Patent EP3030673 og EP3030674

<sup>2</sup>Patent EP3033433

<sup>3</sup>Patent EP3164502

### Note

**Attention! All samples for sequencing must be sent directly to Aalesund.**

### LEVERING BACTOPROFILE

- Normal** (5 working days, depending on the product)
- Haste** (3 working days, depending on the product)
- Customer assignment (delivery subject to separate arrangement)

Haste must be agreed upon in advance, and entails an additional cost.

If you are interested in a customer assignment, please contact PatoGen at +47 70 11 69 00 or by email at post@patogen.no.

### SAMPLING DETAILS WHEN ORDERING BACTOPROFILE

Fields marked with \* must be filled in.  
Ensure consistent naming of withdrawal points, so data from different withdrawal points can be combined into a time series.

Tube ID	Withdrawal point*	Sampling date*	Sample type*	Fish group

### ADDITIONAL INFORMATION

**Attention! All samples for sequencing must be sent directly to Aalesund.**

**DELIVERY SEQUENCING**

- Normal** (5-10 working days, depending on the product)
- Haste** (3-5 working days, depending on the product)
- Customer assignment (delivery subject to separate arrangement)

*Haste must be agreed upon in advance, and entails an additional cost.*

**ANALYSES**

Virus sequencing

- |   |   |
|---|---|
| <p>ISAV: <input type="radio"/> Phylogenetic analysis (segment 6)</p> <p><input type="radio"/> Virulence assessment (segment 6) *</p> <p><small>* HPR deleted is automatically performed upon positive detection of ISAV with PCR.</small></p> | <p>IPNV: <input type="radio"/> Phylogenetic analysis (segment A)</p> <p><input type="radio"/> Vaccine differentiation*</p> <p><small>* E.g. ALPHAJECT micro®6</small></p> |
| <p>PRV1: <input type="radio"/> Genotyping (segment S1, S4, M2, L1*, L2*)</p> <p><small>* Parts of the segment</small></p>   | <p>SAV: <input type="radio"/> Genotyping (SAV1-SAV6)</p>  |

Other

- Bacterial typing
- ISAV segment 6 sequence file
- ISAV segment 5 sequence file
- IPNV segment A sequence file

Other sequencing services may be offered as part of R&D activities or as commissioned projects.

Please contact PatoGen at +47 70 11 69 00 / post@patogen.no.

**SAMPLE DETAILS**

Sample ID/Tube ID/Fish no.	Type of material	PG-no. (registered by PatoGen)	Sample no. (registered by PatoGen)	Sequencing code (registered by PatoGen)

**ADDITIONAL INFORMATION**